

Viabizzuno strada principale della frazione di bizzuno in provincia di ravenna dove tra la casa del popolo e la parrocchia, al n°17, sono nato il ventuno luglio millenovecentocinquantacinque. da qui nasce il nome della fabbrica di produzione fondata nel millenovecentonovantaquattro rappresentata da uno spazio bianco attraversato da due linee. una verticale, rigorosa, essenziale, equilibrata: la luce per la luce; ed una inclinata, irriverente nello spazio, ironica, fuori dagli schemi: la luce per la forma. distinte ma complementari si fondono in un unico nome: Viabizzuno.

Viabizzuno is the name of the main road of the small village bizzuno located in the province of ravenna, where I was born on the twenty-first july nineteenfiftyfive at n°17, between the 'casa del popolo' and the local parish church. from here the name of the factory founded in nineteen ninety-four represented by a white space intersected by two lines. one vertical, well balanced, logical, essential: the light for the light. the other one dynamic, irreverent, ironic: the light for the form. separate and yet complementary they cast in the same name: Viabizzuno. marionanni



apparecchio di illuminazione da terra, parete e sospensione per interni IP20.

modelli:

fiore terra con base in acciaio aisi 304 diametro Ø250mm, altezza massima h.2100mm. stelo fisso diametro Ø16mm h.1200mm, diffusore conico diametro Ø80mm h.158mm, alimentatore 220-240V a spina incluso;

fiore terra grande con base in acciaio aisi 304 diametro Ø140mm, altezza massima h.2500mm. stelo fisso diametro Ø18mm h.1600mm, diffusore conico diametro Ø129mm h.255mm, alimentatore 220-240V a spina incluso;

fiore terra batteria con base in acciaio aisi 304 diametro Ø130mm, altezza massima h.2116mm, diffusore conico diametro Ø80mm h.158mm, alimentatore 220-240V a spina incluso;

fiore parete con stelo flessibile diametro Ø14mm 1000mm, diffusore conico diametro Ø80mm h.158mm, accensione e dimmerazione con potenziometro lineare, alimentatore escluso;

fiore sospensione altezza massima h.1500mm, diffusore conico diametro Ø129mm h.255mm, alimentatore escluso;

cablato con sorgente elettronica Ra98 2700K fino a 11,6W 1026lm.

finiture: cromo lucido con diffusore ricoperto in pelle nera con lavorazione a mano eseguita in italia.

IP20 rated floor standing, wall and suspension light fitting for indoor use.

versions:

fiore floor-standing with Ø250mm aisi 304 steel base, h.2100mm maximum height. Ø16mm h.1200mm fixed rod and Ø80mm h.158mm conical diffuser, 220-240V 50-60Hz power supply with plug included;

fiore grande floor-standing with Ø300mm aisi 304 steel base, h.2500 maximum height. Ø18mm h.1600mm fixed rod and Ø129mm h.255mm conical diffuser, 220-240V 50-60Hz power supply with plug included;

fiore terra batteria with Ø130mm aisi 304 steel base, h.2116mm maximum height, Ø80mm h.158mm conical diffuser, 220-240V 50-60Hz power supply with plug included;


fiore parete with Ø14mm 1000mm flexible rod, Ø80mm h.158mm conical diffuser;

activation and dimming with linear potentiometer, power supply not included.

fiore sospensione h.1500mm maximum height, Ø129mm h.255mm conical diffuser, 120-240V 50-60Hz power supply included.

wired with Ra98 2700K up to 11.6W 1026lm led source.

finishes: polished chrome with diffuser covered with black leather handmade in italy.





Bibliothek | Library

Peter Zumthor's friend Walter Lietha führte vierzig Jahre lang das »Antiquariat Narrenschiff« in Chur und ist soeben im Begriff, seine immense Sammlung an Büchern, Fotos, Schallplatten etc. nach Trin in die ehemalige Bergpension Ringel zu überführen. Dadurch war es möglich, einen großen Teil der Bücher vorübergehend nach Bregenz zu bringen.

Peter Zumthor's friend, Walter Lietha, ran the »Ship of Fools«; an antiquarian bookshop in Chur for forty years. He is currently in the process of transferring his immense collection of books, photos, records, etc. to Trin into the former mountain guest-house Ringel. This has made it possible to bring a large part of the books temporarily to Bregenz.





fiore 120-240V 50-60Hz AS IP20


Vb4.626.20.27 cromo lucido · pelle nera 2700K 10
 polished chrome · black leather


Ra	R9	ies tm-30	sdc	mA	V _{f(min)}	lm	W	lm/W
98	95	Rf 95 Rg 100	step 2	500	16,2	760	8,1	94
cd040	les6	Ta25 °C	vita media · average life	50000 h		L70 B10		

fiore grande 120-240V 50-60Hz AS IP20 UK CE

Vb4.626.25.27 cromo lucido · pelle nera 2700K 15
 polished chrome · black leather

Ra	R9	ies tm-30		sdc	mA	V _{f (min)}	lm	W	lm/W
98	95	Rf 95	Rg 100	step 2	700	16,5	1026	11,6	89
cd040	les6	Ta25 °C		vita media · average life			50000 h	L70	B10





fiore batteria

220V 50-60Hz



IP20





Vb4.626.30.27 cromo lucido · pelle nera 2700K 10
 polished chrome · black leather

Ra	R9	ies tm-30		sdc	mA	V _{f(min)}	lm	W	lm/W
98	95	Rf 95	Rg 100	step 2	500	16,2	760	8,1	94
cd040	les6	Ta25 °C		vita media · average life		50000 h	L70 B10		

Vb4.626.30.30 cromo lucido · pelle nera 3000K 10
 polished chrome · black leather

Ra	R9	ies tm-30		sdc	mA	V _{f(min)}	lm	W	lm/W
98	95	Rf 95	Rg 100	step 2	500	16,2	819	8,1	101
cd041	les6	Ta25 °C		vita media · average life		50000 h	L70 B10		





fiore parete

24Vdc



IP20



Vb5.626.31.27 cromo lucido · pelle nera
polished chrome · black leather

2700K

2

Ra	R9	ies tm-30		sdc	mA	V _{f(min)}	lm	W	lm/W
98	95	Rf 95	Rg 100	step 2	500	16,2	760	8,1	94
cd040	les6	Ta25 °C		vita media · average life			50000 h	L70 B10	

fiore sospensione



IP20



UK
CA




Vb8.626.41.27

cromo lucido · pelle nera
polished chrome · black leather

2700K

3

Ra	R9	ies tm-30		sdc	mA	V_f (min)	lm	W	lm/W
98	95	Rf 95	Rg 100	step 2	700	16,5	1026	11,6	89
cd040	les6	Ta25 °C		vita media · average life			50000 h	L70	B10



rosini di alimentazione. power supply roses.




UK
CA



Vb9.580.73

scomparsa totale cartongesso
total recessed plasterboard

0,2



Vb9.580.74

cassaforma laterizio scomparsa totale
total recessed brick housing

0,2

